
Federico Bonetti – MPI

F-theory in six dimensions



PPSM Colloquium 18/11/2011

Outline

- Motivation
- What is F-theory?
- Why six dimensions?
- F-theory set-up
- A 6d example
- Conclusions

- Promises of string theory...
 - quantum gravity
 - unification of all interactions

- Promises of string theory...
 - quantum gravity
 - unification of all interactions
- ... and challenges of string phenomenology
 - many solutions (~10⁵⁰⁰!)
 - hard to find realistic vacua

- Promises of string theory...
 - quantum gravity
 - unification of all interactions
- ... and challenges of string phenomenology
 - many solutions (~10⁵⁰⁰!)
 - hard to find realistic vacua
- F-theory is...
 - an important part of the string pheno toolkit
 - a beautiful geometric framework

What is F-theory?

- Superstring theory
 - extended objects → 1+1 worldsheet
 - quantization → 10 spacetime dimensions
 - different theories → Type I, IIA, IIB, heterotic

What is F-theory?

- Superstring theory
 - extended objects → 1+1 worldsheet
 - quantization → 10 spacetime dimensions
 - different theories → Type I, IIA, IIB, heterotic
- F-theory
 - re-formulation of Type IIB
 - lives in "12" dimensions
 - non-perturbative dynamics & brane backreaction
 - unified geometric framework

- String theory in 4d is harder
 - more data required by SUGRA models
 - more string constructions

- String theory in 4d is harder
 - more data required by SUGRA models
 - more string constructions
- 6d as warm-up framework
 - strong constraints (supersymmetry, anomalies)
 - non-trivial dynamics


- String theory in 4d is harder
 - more data required by SUGRA models
 - more string constructions
- 6d as warm-up framework
 - strong constraints (supersymmetry, anomalies)
 - non-trivial dynamics
- Test of string universality conjecture

- String theory in 4d is harder
 - more data required by SUGRA models
 - more string constructions
- 6d as warm-up framework
 - strong constraints (supersymmetry, anomalies)
 - non-trivial dynamics
- Test of string universality conjecture
- Extra motivation: M5 brane

The F-theory torus

S-duality of Type IIB

symmetry of a 2-torus



The F-theory torus


S-duality of Type IIB

 \downarrow

symmetry of a 2-torus

geometric information:

 $\tau \in \mathbb{C}$ (size and shape)



string coupling ~
$$\frac{1}{\Im \tau}$$

A web of dualities


We do not know the action of F-theory

A web of dualities


- We do not know the action of F-theory
- Use the web of dualities among string theories

A web of dualities

- We do not know the action of F-theory
- Use the web of dualities among string theories




F-theory via M-theory




eCY3 = elliptically fibred Calabi-Yau threefold

F-theory setup




F-theory setup


 The F-theory torus varies along the compact space




F-theory setup

- The F-theory torus varies along the compact space
- In the F-/M-theory framework geometry encodes:
 - spectrum of the theory
 - interactions







- Singular torus
 - → gauge theory




- Singular torus→ gauge theory
- Many gauge groups are possible
- Room for GUTs in 4d




- Singular torus
 - → gauge theory
- Many gauge groups are possible
- Room for GUTs in 4d
- Enhanced singularities
 - → charged matter



- Singular torus
 → gauge theory
- Many gauge groups are possible
- Room for GUTs in 4d
- Enhanced singularities
 - → charged matter
- Dual Type IIB picture
 - → D-branes



Loops VS geometry



Conclusions

- Toolkit of string pheno → F-theory
- Geometric description
 - beyond weak coupling & brane backreaction
 - gravity + gauge + matter on equal footing
- 6d arena for F-theory
 - warm-up for 4d phenomenology
 - general questions in string theory
 - example: geometry 'computes' loops

Thank you for your attention

