

# Nuclear effects in direct photon and Drell-Yan production at the LHC

*Monday, 5 October 2015 19:40 (5 minutes)*

Using the color dipole formalism we study production of direct photons and Drell-Yan pairs in pA interactions. Real photons and lepton pairs produced in a hard scattering are not accompanied with any final state interaction, either energy loss or absorption. Consequently, the associated observables may serve as more efficient and cleaner probes for nuclear modification effects than inclusive hadron production. We have shown that shadowing effects in production of lepton pairs coming from the coherence are suppressed at large invariant masses and at very large  $p_T$  at mid-rapidities. Besides, we present a systematic analysis of the nuclear effects and perform predictions for nuclear suppression as a function of  $p_T$ , rapidity and dilepton invariant mass that can be verified by the LHC experiments. We include and analyze also a contribution of coherent effects associated with gluon shadowing affecting the observables predominantly at small and medium-high  $p_T$ .

**Primary authors:** Dr BASSO, Eduardo (Lund University); Prof. NEMCHIK, Jan (IEP SAS Kosice and FNSPE CTU in Prague); Mr KRELINA, Michal (FNSPE, Czech Technical University in Prague); Dr PASECHNIK, Roman (Lund University); Dr GONCALVES, Victor (Lund University/Sweden and UFPel/Brazil)

**Presenter:** Dr GONCALVES, Victor (Lund University/Sweden and UFPel/Brazil)

**Session Classification:** Poster session

**Track Classification:** Collective Phenomena in High Energy Collisions