

*Update on
Top Mass Measurements
with the P_{\perp} balance method*

Teresa Barillari

Top Mass Meeting

MPI, 17 July 2009



Introduction

- ▶ I will give an update on the studies of the top mass measurements using “ P_{\perp} balance method”
- ▶ This method uses btagging. One of the most difficult thing for me at the moment is to find top MC data samples that have jets with btagging information
 - ▶ Only the Cone4H1 Tower jet collection, that is in the standard DPDs and AODs, has jets with btagging information.
 - ▶ My study of top measurements using different jets algorithms are limited by the missing btagging information
- ▶ Trigger information are also a bit complicate to include in the analysis, I am using release 15.1.0
- ▶ It seems that the trigger definitions are easier to be accessed in release 15.2.0 (to be tried)





D3PD making

- ▶ Used ARA to make new D3PD
- ▶ Used the “ P_{\perp} balance method” to reconstruct the top mass from the analysed data
- ▶ D3PD have been produced using:
 - ▷ the mc08 data sample
user09.KojiTerashi.mc08.105200.T1_McAtNlo_Jimmy.recon.
DPD_NOSKIM.e357_s462_r635_DPDMaker000164_p1
produced by Koji Terashi for the Jet Performance group with the HEC C
Quadrant 8
 - ▷ These DPDs have different jet algorithms included
 - ▷ To overcome the btagging problem, I have matched the candidate b-jet to its truth jet, within a cone of 0.1
 - ▷ D2PD from this data sample were produced using release 15.1.0
 - ▷ Top measurements results are here presented for Cone4H1ToweJets, AntiKt4H1TopoJets, and AntiKt4LCTopoJets





Reconstructed top mass with Cone4H1 Tower jets



- ▶ Left plot shows the reconstructed top mass obtained with Cone4H1Tower jets using two btagged jets in the events selection
- ▶ Right plot shows the reconstructed W mass obtained with the standard event selection (two btagged jets required)





Reconstructed top mass with AntiKt4 H1 jets



- ▶ Left plot shows the reconstructed top mass obtained with AntKt4 H1 Cal.jets. The candidate b-jets are here matched to their truth jets, in order to have “btagging” in the events selection
- ▶ Right plot shows the reconstructed W mass obtained with the b-matched in the event selection







Reconstructed top mass with AntiKt4 LC jets and truth matching



- ▶ Left plot shows the reconstructed top mass obtained with AntKt4 LC jets. The candidate b-jets are here matched to their truth jets, in order to have “btagging” in the events selection
- ▶ Right plot shows the reconstructed W mass obtained with the b-matched in the event selection




$JetP_{\perp}^{reco} / JetP_{\perp}^{truth}$ versus $JetP_{\perp}^{truth}$ distributions



Distributions obtained with Cone4H1Tower jets. The bias introduced by the P_{\perp} cut (40 GeV and 20 GeV) to the reco jets is clearly visible. Top left (right) first (second) btagged jet, bottom left (right) first (second) selected light jet




AntiKt4 H1 Cal. jets linearity



Jets linearity distributions obtained with AntiKt4 H1 jets. Blue (red) distribution is for the first (second) btagged jets, green (magenta) distribution is for the first (second) selected light jets. in these plots the $P_{\perp}^{reco} > 20\text{GeV}$, and $P_{\perp}^{truth} > 40\text{GeV}$




AntiKt4 LC jets linearity



Jets linearity distributions obtained with AntiKt LC jets. Blue (red) distribution is for the first (second) btagged jets, green (magenta) distribution is for the first (second) selected light jets. in these plots the $P_{\perp}^{\text{reco}} > 20\text{GeV}$, and $P_{\perp}^{\text{truth}} > 40\text{GeV}$







Jets Correlation



Jets correlation from ordering in p_{\perp} the selected b-jets




Jet $P_E^{\text{reco}} / \text{Jet } P_E^{\text{truth}}$ versus $\text{Jet } P_{\perp}^{\text{truth}}$ distributions



Distributions obtained with AntiKt4LC jets, with $P_{\perp}^{\text{Truth}} > 40 \text{ GeV}$, and $P_{\perp}^{\text{Reco}} > 20 \text{ GeV}$. Top left (right) first (second) btagged jet, bottom left (right) first (second) selected light jet




New AntiKt4 LC b-jets linearity



B-jets linearity distributions obtained with AntiKt4 LC jets and without ordering in p_{\perp} the b-jets.



AntiKt4 LC jets linearity



Jets linearity distributions obtained with AntiKt4 LC jets and without ordering in p_{\perp} the b-jets.

