



Offline study of occillation data

10th Jan, 2019

Varghese Babu DESY, Hamburg Some plots are made with the data taken on Dec 19 on module 1012.

Three sets of Data were taken with the respective conditions:

- 1) Without either offsets and ACMC
- 2) With only ACMC on
- 3) With both offset and ACMC on

We look at some of the features of the oscillations.


Data taken with:

i) Offset: off

ii) ACMC: off


Integrated hit and charge maps:

 For DCD 1, 2 and 3, there seems to be a less noisy patch from row ~ 500 - 760





Integrated hit and charge maps: row and column projections

• DCD-3 is less noisy compared to 1, 2 and 4




Hit-Map 8512 by row







Time evolution: Occupancy and Column charge


• Large oscillations in occupancy, upto 10⁴ fired pixels per event with period ~2 minutes (~10000 events)






Time evolution: Row charge





Time evolution: Charge distribution

Large noise upto 50 ADU




Data taken with:

i) Offset: off

ii) ACMC: on


Integrated hit and charge maps:


- Less noisy patch from row > 500
- 'Horizontal noise lines'?




Integrated hit and charge maps: row and column projections

Appears to be a row-wise pattern with a periodicity of ~20 rows







charge_8512


227172

298.6

193.7


Integrated row-charge map: zoomed in

Integrated charge Map 8512 by row





Time evolution: Occupancy and Column charge


 Small oscillations in occupancy, upto ~40 fired pixels per event with period ~2000 events



Time evolution: Row charge








Time evolution: Charge distribution

• Noise below 10 ADU




Data taken with:

i) Offset: on


ii) ACMC: on


Integrated hit and charge maps:


• Relatively clean noise map




Integrated hit and charge maps: row and column projections











Time evolution: Occupancy and Column charge

- No systematic oscillations in occupancy apart from statistical fluctuations
- Below 10 fired pixels per event




Time evolution: Row charge



Time evolution: Charge distribution

• Noise below 9 ADU




Inferences


- 1) Oscillations in data rate seem to have two components, large oscillations with period ~8.3 mins and smaller oscillations with period 1/5 of that. This needs to be verified by looking at the Fourier components
- 2) The large oscillation are removed by switching on ACMC and switching on offsets in addition removes the smaller oscillations.
- 3) Operating without offsets (ACMC on) produces horizontal noise patterns on the sensor. (?)
- 4) The noise charge can reach upto 50 ADU if ACMC is not switched on, but if it is on, the noise charge doesnt exceed 10 ADU.

'Going back to the case where both ACMC and offsets are off and zooming into the peak region'


Time evolution: Column charge



Time evolution: Row charge




Time evolution: Charge distribution




Zooming into the 'trough' region


Time evolution: Column charge



Time evolution: Row charge




Time evolution: Charge distribution




Single Event distributions

'Local peaks' and 'local troughs' in the overall peak and trough regions.




Event 3637: Local minima in overall trough region (~100 fired pixels)


Charge distribution: Event 3637




Row charge: Event 3637





Column charge: Event 3637







Event 3642: Local maxima in overall trough region (~1.8K fired pixe Charge distribution: Event 3642









Row charge: Event 3642








Event 5773: Local minima in overall peak region (~3K fired pixels)













Event 5762: Local maxima in overall peak region Charge distribution: Event 5762 (~10K fired pixels)




30

45

Column charge: Event 5762









Correlations between data rates between sensor regions?

First 100 events Comparing top 1/3 vs bottom 2/3 regions




First 100 events Comparing different DCD's




First 2000 events

Correlations: Comparing top 1/3 vs bottom 2/3 regions


Top 1/3rd region vs bottom 2/3rd region





First 2000 events Correlations: Comparing different DCD's




All eventsFired pixels: Comparing top 1/3 and bottom 2/3 regions








All eventsFired pixels: Comparing different DCD's




All events
Correlation: Top 1/3 vs bottom 2/3

Top 1/3rd region vs bottom 2/3rd region



All events Correlation between different DCD's



Backup

First 2000 events

Zooming in: Correlation between DCD-3 and DCD-4

DCD-3 vs DCD-4

